

IS ONZETRA® XSAIL® RIGHT FOR YOU?  
**ASK THE RIGHT  
QUESTIONS**



**USE THIS DISCUSSION GUIDE WITH YOUR DOCTOR**

**Be sure to tell your doctor if you:**

- Are experiencing migraine
- Are not fully satisfied with your current treatment
- Experience nausea or vomiting during a migraine
- Want a treatment that is well-tolerated
- Want something different that also offers fast relief
- Need an option with relief that can last

**Ask your doctor about ONZETRA:**

- What is ONZETRA?
- What are the benefits of nasal delivery?
- What are the side effects of ONZETRA?
- Is ONZETRA right for me?
- How is it different from my previous treatments?

**For Important Safety Information, see page 2.**

**ONZETRA®** Xsail®  
(sumatriptan nasal powder)  
11 mg per nosepiece

**CurraX**  
pharmaceuticals LLC

## Important Safety Information

### What is ONZETRA® Xsail® (sumatriptan nasal powder) used for?

ONZETRA Xsail is a prescription medication approved for the acute treatment of migraine, with or without aura in adults. ONZETRA Xsail is used for people who have been told by a healthcare provider that they have migraine headaches. ONZETRA Xsail is not for the prevention of migraines or for other types of headaches, including cluster headache.

### What important information should I know about ONZETRA Xsail?

ONZETRA Xsail may cause serious side effects, including:

- **Heart attack and other heart problems**, which may lead to death. Stop using ONZETRA Xsail and get emergency medical help right away if you have any symptoms of a heart attack like shortness of breath or tightness, pain, pressure, or heaviness in your chest, throat, neck, or jaw that is severe or does not go away
- **Changes in color or sensation in your fingers and toes** (Raynaud's syndrome)
- **Stomach and intestinal problems** (gastrointestinal and colonic ischemic events)
- **Problems with blood circulation to your legs and feet** (peripheral vascular ischemia)
- **Serious allergic reactions** (symptoms include hives; tongue, mouth, lip, or throat swelling; problems breathing)
- **Medication overuse headaches**. Some people who use ONZETRA Xsail too many times may have worse headaches. If your headaches get worse your doctor may decide to stop your treatment with ONZETRA Xsail
- **Serotonin syndrome**, a rare but serious problem that can happen in people using ONZETRA Xsail, especially if ONZETRA Xsail is used with antidepressant medicines called SSRIs, SNRIs, or TCAs. Call your doctor right away if you have any of the following symptoms of serotonin syndrome: mental changes such as seeing things that are not there (hallucinations), agitation, or coma; fast heartbeat; changes in blood pressure; high body temperature; tight muscles; trouble walking; or nausea, vomiting, or diarrhea
- **Seizures**. Seizures have happened in people taking sumatriptan who have never had seizures before

The most common side effects of ONZETRA Xsail are abnormal taste, discomfort of your nose or throat, runny nose, and stuffy nose. This is not a complete list of side effects. Tell your doctor about any side effect that bothers you or does not go away.

### Who should not take ONZETRA Xsail?

Do not take ONZETRA Xsail or stop using ONZETRA Xsail if you:

- Have heart problems or a history of heart problems
- Have had a stroke, transient ischemic attacks (TIAs), or problems with your blood circulation
- Have uncontrolled high blood pressure
- Have hemiplegic migraines or basilar migraines. If you are not sure if you have these, ask your doctor
- Have peripheral vascular disease (narrowing of blood vessels to the legs, arms, stomach, intestines, or kidneys)
- Have taken other migraine medications in the last 24 hours, including other triptans, ergots, or ergot-type medications. Ask your doctor for a list of these medicines if you are not sure
- Are taking a medicine called a monoamine oxidase inhibitor (MAOI). MAOIs cannot be taken within 14 days before or after taking ONZETRA Xsail
- Have severe liver problems
- Have an allergy to sumatriptan, the medicine in ONZETRA Xsail, or any of the components in ONZETRA Xsail

### What should I tell my healthcare provider before taking ONZETRA Xsail?

Before you take ONZETRA Xsail, tell your doctor about all your medical conditions and all the medicines you take, including prescription medicines, especially antidepressants, and all over-the-counter medicines, vitamins, and herbal supplements.

### What should I avoid while taking ONZETRA Xsail?

ONZETRA Xsail can cause dizziness, weakness, or drowsiness. If you have these symptoms, do not drive a car, use machinery, or do anything where you need to be alert.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch) or call 800-FDA-1088.

**For additional Important Safety Information about ONZETRA Xsail, please see the full Prescribing Information, including Patient Information, and Instructions for Use.**